

The property verification methods of complex stochastic system based on directed graph

Ji Mingyu ^{1, 2 *}, Li Yanmei ², Chen Zhiyuan ²

¹ College of Information and Computer Engineering, Northeast Forestry University

Harbin, 150040, China

² College of Computer Science and Technology, Harbin Engineering University

Harbin 150001, China

Received 1 January 2014, www.tsi.lv

Abstract

With the increasing complexity of computer hardware and software systems, how to ensure system accuracy and reliability becomes an increasingly pressing issue. The quantitative verification of multiple until formula property has important practical significance in the field of biology. In this paper, for particular probability reward model, we give the detailed analysis of properties verification methods of the multiple until formula with transition step and transition reward constraints based on the weighted directed graph. At last, the example analysis is given. The theoretical analysis and example result show that the feasibility and validity of the method.

Keywords: Probabilistic system; Model checking; Multiple until formula; Directed graph

1 Introduction

Model checking is a formal verification technique with higher degree of automation and is an efficient automatic detecting mean as it can provide the counterexample information when the properties are violated. Model checking has obvious advantages compared with other formal verification means.

In recent years, along with the application range of traditional model checking technology used for qualitative verification continues to be expanded, the properties quantitative validation technology based on complex parametric probabilistic model become one of the research topics that many experts and scholars interested, and gradually become new hotspot in trusted system verification field.

In the process of model checking, probabilistic computation tree logic formula and continuous stochastic logic formula are generally used to describe the property of system. On these logic formula, multiple until formula can describe the periodic oscillations changes of biological species and other important characteristics in the field of systems biology, which makes high-performance verification and counterexample analysis about this kind of property become an open research topic [1, 2].

In the literature [3], stratified continuous time Markov chain model is used to explain the verification process of multiple until formula property with time boundaries, the corresponding verification algorithm and example

analysis process are proposed by constructing synchronous automata model of formula property automaton and continuous time Markov chain model.

Literature [4] proposes an algorithm on counterexample generation for model checking probabilistic timed automata based on the weighted directed graph.

In the literature [5], the semantic representation of the probabilistic timed automata was gave by Markov decision processes, and the until formula counterexample generation algorithm and representation method were proposed.

Although domestic and foreign scholars have made a lot of works in the field of until formula properties verification, however most of the existing research are oriented to the until formula with time constraint and rarely study until formula properties verification with the reward constraints. In view of this, the paper will give the detailed analysis of properties verification methods of multiple until formula with transition step and transition reward constraints in Markov reward model.

The rest of paper is organized as follows: Section 2 presents the necessary background on probability model with reward parameter. In Section 3 introduces the syntax and semantics of multiple until constraint formula. Section 4 explains how to verify multiple until constraint formula based on the digraph. Section 5 gives the corresponding example description. Section 6 gives the basic algorithm description. Finally, in Section 7 we give the conclusions and directions of future research.

* Corresponding author. Tel: +86-451-82191525;
E-mail: jimingyu@hrbeu.edu.cn

2 Probabilistic reward model

In this paper, we study properties verification method of multiple until constraints formula with transition step constraint and transition reward constraint for Markov Reward Model (MRM). Below the definition of MRM is described.

Definition 1. MRM is six tuple that is divided into discrete time Markov reward model (DTMRM) and continuous time Markov reward model (CTMRM). DTMRM and CTMRM are expressed as $M = (S, P, L, AP, N, \nu)$ and $M = (S, R, L, AP, N, \nu)$ respectively, where S is a finite set of states, AP is a set of atomic propositions, $L: S \rightarrow 2^{AP}$ is a labelling function that assigns to each $s \in S$ a set $L(s)$ of atomic propositions, and $R: S \times S \rightarrow R_{\geq 0}$ is a rate matrix, $\nu \in Distr(S)$ is the initial distribution set and $N: S \times S \rightarrow R_{\geq 0}$ is transition reward matrix.

The transition reward of MRM is often used to represent different characteristics of the system model, such as storage space, network bandwidth, message number of successfully transmitted, power consumption, negotiation procedure and so on.

In the CTMRM, the transition probability from state s to its some successor state s' within time t meet the exponential distribution and the value is $\frac{R(s, s')}{E(s)}(1 - e^{-E(s)t})$, where $E(s)$ indicates sum of transition rate of the state s and $E(s) = \sum_{x \in S} R(s, x)$.

Because of the multiple until constraint formula studied in this paper is unrelated to the transition time, so before we verify the properties, the transition probability in CTMRM need to be pretreated, then the transition rate matrix of CTMRM is transformed into the discrete transition probability distribution of DTMRM, denoted by P_u . This pretreatment process named as discretization for continuous model.

The transformation method that transforms R of CTMRM into transition probability distribution P_u of the discrete model is divided into two cases:

- (1) If $E(s') = \sum_{s'' \in S} R(s', s'') \neq 0$ for some state s' in CTMRM, then in DTMRM we have $P_u(s', s'') = \frac{R(s', s'')}{E(s')} \cdot \frac{E(s')}{\max\{E(s_i)\}}$ and $P_u(s', s') = 1 - \sum_{s'' \in S - \{s'\}} P_u(s', s'')$.
- (2) If $E(s') = \sum_{s'' \in S} R(s', s'') = 0$ for some state s' in CTMRM, then in DTMRM we have $P(s', s'') = 0$ for all states $s'' \in S$.

Below the properties, quantitative validation process of DTMRM will to be shown.

3 The description of multiple until constraint formula

In the process of probabilistic model checking, the temporal logic applied in discrete probability model mainly includes PCTL and its various variants logic, in which the path formula supported transition reward and transition step is defined as:

$$\varphi ::= \Phi | \varphi_1 \wedge \varphi_2 | \neg \varphi | O_r^n \varphi | \varphi_1 \cup_r^n \varphi_2,$$

where $n \subseteq [0, \infty]$ and $r \subseteq [0, \infty]$ respectively represent transition step interval and transition reward interval constraint, $\Delta \in \{>, <, \geq, \leq\}$ be arithmetic comparison operator, \cup be until operator, O be next operator and Φ indicates the corresponding state formula.

The path formula $\varphi_1 \cup_{r_1}^{n_1} \varphi_2$ is called single until constraint formula, and $\varphi_1 \cup_{r_1}^{n_1} \varphi_2 \cup_{r_2}^{n_2} \varphi_3$ is called double until constraint formula and $\varphi_1 \cup_{r_1}^{n_1} \varphi_2 \cup_{r_2}^{n_2} \dots \cup_{r_{k-1}}^{n_{k-1}} \varphi_k$ ($k \geq 3$) are collectively known as multiple until constraint formula.

Let σ be a path, then $\sigma \models \varphi_1 \cup_{r_1}^{n_1} \varphi_2 \cup_{r_2}^{n_2} \dots \cup_{r_{k-1}}^{n_{k-1}} \varphi_k$ established if and only if there are a series of transition processes so that: All states in the transition processes at most $Sup(n_1)$ steps satisfy the property φ_1 and the cumulative sum of transition reward during these transition steps satisfies condition r_1 , and then the path migrate to one state that satisfies φ_2 . On the Next transition processes, all states at most $Sup(n_2)$ steps satisfy the property φ_2 and the cumulative sum of transition reward during these transition steps satisfies condition r_2 , and then the path migrate to one state that satisfies φ_3 , and so on. Final, the transition processes end in the last state of σ , and the state satisfies $\varphi_k(Sup(n))$ denotes the upper bound of interval n .

As we can be seen from the semantic analysis of $\varphi_1 \cup_{r_1}^{n_1} \varphi_2 \cup_{r_2}^{n_2} \dots \cup_{r_{k-1}}^{n_{k-1}} \varphi_k$ that multiple until constraint formula $\varphi_1 \cup_{r_1}^{n_1} \varphi_2 \cup_{r_2}^{n_2} \dots \cup_{r_{k-1}}^{n_{k-1}} \varphi_k$ is the superposition of single until constraint formulas and the number of superposition depends on the value of k .

For the calculation of the satisfying probability of $\varphi_1 \cup_{r_1}^{n_1} \varphi_2 \cup_{r_2}^{n_2} \dots \cup_{r_{k-1}}^{n_{k-1}} \varphi_k$, if path σ is starting at the state that need to be verified of the system model and can be segmented into several sub paths and each sub path

satisfies the corresponding single until formula and the sum of transition step and the sum of transition reward is within the specified constraint scope of single until formula, then the path can be named as valid path.

Then, we can calculate the transition probability of path σ , and eventually obtained the satisfy probability of multiple until constraint formula of system model.

4 The properties verification method based on directed graph

Because of the basic expression, form of the complex stochastic system model is state transition system of directed graph form, so we can verify the properties directly based on the state transition graph of the system model aiming at the characteristics of the formula to be verified.

In this paper, we consider the until formula property verification problem with the transition step constraint and transition reward constraint. In literature [6], the problem of generating counterexample of single until formula with time constraint for CTMC is described in detail and an approximation algorithm of minimal counterexample path set is given based on the structure of UDTMRM.

In ref. [7], the solving method of state satisfying probability of single until formula $\varphi \cup^{\leq h} \psi$ with transition step constraint for DTMC is introduced in detail.

The basic idea is as follows: First, the original system model is appropriate pre-processed and is transformed into a weighted directed graph in which weight information indicates the transition probability of the original model and it is inversely proportional to the transition probability. In directed graph, the path that transition weight is least called the strongest evidence path and the process of finding the strongest evidence path is called shortest path (SP) problem. Then the solve problem of counterexample path of $\varphi \cup^{\leq h} \psi$ formula in DTMC model is transformed into the solve problem of k shortest path set with transition step constraint for corresponding vertices based on weighted directed graph.

In this paper, the solution of satisfying probability for multiple until constraint formula $\varphi_1 \cup_{r_1}^{n_1} \varphi_2 \cup_{r_2}^{n_2} \dots \cup_{r_{k-1}}^{n_{k-1}} \varphi_k$ will use the method similar to the above.

Definition 2. Weighted directed graph for DTMC

For DTMC $M = (S, AP, L, P)$, the weighted directed graph $D = (V, E, w)$, where vertex set $V = S$, edge set $E = \{(v, v') | v, v' \in S \wedge P(v, v') > 0\}$ and transition weight $w = -\log(p(v, v'))$.

Definition 3. SP problem

Given a weighted directed graph $D = (V, E, w)$ and $s, t \in V$, the SP problem is to determine a path σ from

s to t such that $w(\sigma) \leq w(\sigma')$ for any path σ' from s to t in D . If the length of path σ and σ' satisfy $|\sigma| \leq h$ and $|\sigma'| \leq h$, then corresponding problem is known as the hop constrained shortest path(HCSP), which is a special case of the constrained shortest path(CSP) problem.

For the solution of SP problem, Bellman and other scholars proposed various efficient algorithms, such as Bellman-Ford algorithm and so on [8, 9]. The strongest evidence path for single until formula $\varphi \cup \psi$ can be solved in time $O(m + n \log(n))$ where m is the number of the edges and n is the number of the vertexes. For $\varphi \cup^{\leq h} \psi$, the single constraint SP problem can be solved in time $O(hm)$ when $h < n - 1$.

Definition 4. K shortest path (KSP) problem

Given a weighted directed graph $D = (V, E, w)$ and $k \in \mathbb{R}_{>0}$, the KSP problem is to find k distinct paths $\sigma_1, \sigma_2, \dots, \sigma_k$ between s and t in D such that $w(\sigma_i) \leq w(\sigma_j)$ for $1 \leq i < j \leq k$ and for every path σ between s and t , if $\sigma \notin \{\sigma_1, \sigma_2, \dots, \sigma_k\}$, then $w(\sigma) \leq w(\sigma_k)$.

Thus, the solution of smallest counterexample path set for formula $\varphi \cup \psi$ can be converted to the KSP problem and the solution of smallest counterexample path set for formula $\varphi \cup^{\leq h} \psi$ can be converted to the HKSP problem. In literature [10], the solution algorithm of HKSP for formula $\varphi \cup^{\leq h} \psi$ of DTMC model can be solved in time $O(hm + hk \log(m/n))$.

The properties validation method of multiple until constraint formula in this paper will use the above algorithm and has obvious differences with the existing research works in the following two aspects: On the one hand the object model be processed is different, on the other hand, the property need to be checked is different.

Therefore, we must solve the following two problems:

First, how to transform the DTMRM model for multiple until constraint formula $\varphi_1 \cup_{\leq r_1}^{n_1} \varphi_2 \cup_{\leq r_2}^{n_2} \dots \cup_{\leq r_{k-1}}^{n_{k-1}} \varphi_k$ into weighted directed graph and how to represent the transition probability and transition reward.

Second, how to describe verification algorithm of multiple until constraint formula based on the weighted directed graph.

Below, we give the detailed description of how to transform DTMRM model into weighted directed graph, which is divided into two steps:

Step 1: Adapting the DTMRM

First, we make all states in the DTMRM that not satisfy $\varphi_i (i = 1..k)$ absorbing. Then we remove all transitions that satisfy one of the following conditions:

The formal description of condition one is:
 $\exists k \geq m > n \geq 1 \ s \in Sat(\varphi_m) \wedge s' \in Sat(\varphi_n)$ and
 $\neg \exists k - 1 \geq q \geq 1 \ s \in Sat(\varphi_q) \wedge (s' \in Sat(\varphi_q) \vee s' \in Sat(\varphi_{q+1}))$.

The formal description of condition two is:
 $\forall k > n \geq 1 \ s, s' \in Sat(\varphi_k) \wedge s, s' \notin Sat(\varphi_n)$.

Next, we add an extra state t_{i-1} for each $\varphi_i (i \neq k \wedge i > 1)$ state so that each outgoing transition from φ_i state is replaced by the transition to t_{i-1} with probability 1, reward 0 and a numbered transition act and all transitions to t_{i-1} can be distinguished by the name of these transition acts. Meanwhile, we add the corresponding outgoing transitions for each $t_{i-1} (i \neq k \wedge i > 1)$ state so that each outgoing transition from t_{i-1} is transmitted to one of the states that can be transmitted from previous $\varphi_i (i \neq k \wedge i > 1)$ state with the same probability, reward and a numbered transition act that is same with one specific transition to t_{i-1} .

At last, we add an extra state t_{k-1} so that all outgoing transitions from a φ_k state are replaced by a transition to t_{k-1} with probability 1 and reward 0.

The obtained DTMRM denoted as $M' = (S', AP', L', P', N')$, where state space $S' = S \cup \{t_1, \dots, t_{k-1}\}$, atomic propositions set $AP' = AP \cup \{at_{t_1}, \dots, at_{t_{k-1}}\}$, labelling function $L'(t_i) = \{at_{t_i}\}$ and $L'(s) = L(s)$ for $s \in S' \wedge s \neq t_i$.

The probability matrix is divided into the following situations:

If $s \in Sat(\varphi_k)$ then $P'(s, t_{k-1}) = 1$ and $N'(s, t_{k-1}) = 0$,

If $s \notin \bigcup_{i=1}^k Sat(\varphi_i)$ then $P'(s, s) = 1$,

If $s \in Sat(\varphi_i) i \neq 1 \wedge i \neq k$ then $P'(s, t_{i-1}) = 1 \wedge N'(s, t_{i-1}) = 0 \wedge P'(t_{i-1}, s') = P'(s, s')$ and $N'(t_{i-1}, s') = N'(s, s')$, if $s \in Sat(\varphi_i) i \neq 1 \wedge i \neq k$, then the added orderly numbered transition acts can be denoted as $act(s, t_{i-1}) = act(t_{i-1}, s')$ when $P(s, s') > 0$.

After adjusted, the path σ that satisfies $\varphi_1 \bigcup_{\leq r_1}^{\leq n_1} \varphi_2 \bigcup_{\leq r_2}^{\leq n_2} \dots \bigcup_{\leq r_{k-1}}^{\leq n_{k-1}} \varphi_k$ in original model M is turned into the path $\sigma' = \sigma_1 \cdot t_1 \cdot \sigma_2 \cdot t_2 \cdot \dots \cdot \sigma_{k-1} \cdot t_{k-1}$ in the model M' and the corresponding multiple until constraint formula to be verified is turned into $\varphi_1 \bigcup_{\leq r_1}^{\leq n_1+1} at_{t_1} \bigcup_{\leq r_2}^{\leq n_2+1} at_{t_2} \dots \bigcup_{\leq r_{k-1}}^{\leq n_{k-1}+1} at_{t_{k-1}}$ where $\sigma = \sigma_1 \cdot \sigma_2 \cdot \dots \cdot \sigma_{k-1}$.

Step 2: Converting model into a weighted directed graph

The DTMRM model M' obtained in the first step can be transformed into a weighted directed graph by definition 3. The only difference with the definition 3 is that the weight information in the weighted directed graph of multiple until constraint formula $\varphi_1 \bigcup_{\leq r_1}^{\leq n_1} \varphi_2 \bigcup_{\leq r_2}^{\leq n_2} \dots \bigcup_{\leq r_{k-1}}^{\leq n_{k-1}} \varphi_k$ not only contains the transition probability weight, but also contains the transition reward weight.

Definition 6 Weighted directed graph for DTMRM

For DTMRM $M' = (S', AP', L', P', N')$, the weighted directed graph $D = (V, E, w)$, where vertex set $V = S'$, edge set $E = \{(v, v') | v, v' \in S' \wedge P'(v, v') > 0\}$. The weight set of D denoted as $W = \{(w_p, w_N) | w_p \in W_p \wedge w_N \in W_N\}$, where transition probability weight $W_p = \{w_p | w_p = -\log P'(v, v')\}$ and transition reward weight $W_N = \{w_N | w_N = N'(v, v')\}$.

In the weighted directed graph of DTMRM, the computation method of transition reward weight is

$w_N(\sigma) = \sum_{i=0}^{j-1} w_N(v_i, v_{i+1})$, and the computation method of transition probability weight is:

$$w_p(\sigma) = \sum_{i=0}^{j-1} w_p(v_i, v_{i+1}) = \sum_{i=0}^{j-1} -\log P'(v_i, v_{i+1}) = -\sum_{i=0}^{j-1} \log P'(v_i, v_{i+1}) = -\log P'(\sigma).$$

5 Case constructor

Consider the DTMRM which include six states and be shown in Fig. 1 and multiple until formula $a \cup b \cup c$, the model after pre-processed be depicted in Fig. 2 and the corresponding weighted directed graph be depicted in Figure 3.

The satisfaction sets of atomic propositions are $Sat(a) = \{s_0, s_1, s_4\}$, $Sat(b) = \{s_1, s_3, s_4\}$ and $Sat(c) = \{s_2, s_5\}$.




FIGURE 1. The DTMRM model to be verified




FIGURE 2. The model pre-processing for formula $a \cup b \cup c$




FIGURE 3 The weighted directed graph corresponding with formula $a \cup b \cup c$

6 Algorithm Description

In this paper, the satisfying path of formula $\varphi_1 \cup_{\leq r_1}^{\leq n_1} \varphi_2 \cup_{\leq r_2}^{\leq n_2} \dots \cup_{\leq r_{k-1}}^{\leq n_{k-1}} \varphi_k$ can be considered as the connection of paths, in which each path satisfies single until formula.

Then the satisfying path set and transition probability of formula $\varphi_1 \cup_{\leq r_1}^{\leq n_1+1} at_{i_1} \cup_{\leq r_2}^{\leq n_2+1} at_{i_2} \dots \cup_{\leq r_{k-1}}^{\leq n_{k-1}+1} at_{i_{k-1}}$ can be calculated by limiting satisfying path set of single until constraint formula with transition reward constraint on the basis of the HKSP algorithm.

Next, we roughly give satisfying path set algorithm of single until formula with transition step constraint and transition reward constraint. The algorithm named hop & reward constrained shortest paths (HRCSP), in which h denotes the upper bound of the transition step constraint, r denotes the upper bound of the transition reward constraint, ${}^i\pi_{\leq h}^{\leq r}(s, t)$ denotes the i -th shortest path from s to t so that the length of path is less than or equal to h and the sum of transition reward is less than or equal to r .

Algorithm HRCSP(s, t, h, r)

Require: weighted digraph D , state s and state t , and $h \in \mathbb{N}_{\geq 0}, r \in \mathbb{R}_{\geq 0}$

Ensure: $C = \{ {}^i\pi_{\leq h}^{\leq r}(s, t), \dots \}$ with all $P = ({}^i\pi_{\leq h}^{\leq r}(s, t)) > 0$

1. compute ${}^i\pi_{\leq h}^{\leq r}(s, t)$ by BF;

2. $k = 1$;
3. $pr = P({}^i\pi_{\leq h}^k(s, t))$;
4. **While** $((pr > 0 \ \&\& \ TRCSD({}^k\pi_{\leq h}^k(s, t), r)))$ **do**
5. ${}^k\pi_{\leq h}^{\leq r}(s, t) = \pi_{\leq h}^k(s, t)$;
6. $k = k + 1$;
7. $\pi_{\leq h}^k(s, t) = NextPath(t, h, k)$;
8. **End While**
9. return $\{ {}^1\pi_{\leq h}^{\leq r}(s, t), \dots \}$;

In HRCSP algorithm, function TRCSD denotes transition reward constrained satisfaction decision algorithm, which is mainly used for judge the path satisfaction for transition reward constraint.

The algorithm TRCSD is described as follows:

Algorithm TRCSD(ρ, r)

Input: finite path ρ , reward intervals upper bound $r \in \mathbb{R}_{\geq 0}$

Output: *true* if the cumulate reward $\rho \leq r$, *false* otherwise

1. $s = first(\rho)$; $total = 0$;
2. **While** $((s' := Next(\rho, s)) \neq null)$ **do**
3. $totalr = totalr + N(s, s')$;
4. $s = s'$;
5. **If** $(totalr > r)$ return *false*;
6. **End while**
7. return *true*;

7 Conclusions and Future Research

In this paper, for property verification problem of multiple until constraint formulae, we put forward the construction method of weighted directed graph of MRM and the corresponding solution algorithms. The case constructor can show that the algorithms and the method are effective. In the further, we will further study the optimization problem of algorithms and extend the method in this paper to other probabilistic models.

Acknowledgements

The authors would like to thank the anonymous reviewers of this paper for their carefully reading of the manuscript as well as their many constructive comments. This paper is supported by the Fundamental Research Funds for the Central Universities (Grant No.DL11BB08), National College Students' Innovative projects (Grant No.2013 10225064); and the National Natural Science Foundation of China (Grant No. 71001023).

References

- [1] Ballarini P, Mardare R, Mura I 2009 Analysing biochemical oscillation through probabilistic model checking *Electronic Notes in Theoretical Computer Science* **229**(1) 3-19
- [2] Kwiatkowska M, Norman G, Parker D 2008 Using probabilistic model checking in systems biology *ACM SIGMETRICS Performance Evaluation Review* **35**(4) 14-21
- [3] Zhang Lijun, Jansen D N, Nielson F, Hermanns H 2011 Automata-based CSL model checking *Automata, Languages and Programming* Springer Berlin Heidelberg 271-282
- [4] Zhang Junhua, Huang Zhiqiu, Cao Zining 2008 Counterexample generation for probabilistic timed automata model checking *Journal of Computer Research and Development* **45**(10) 1638-45
- [5] Wang Jing, Zhang Guangquan 2011 Counterexample representation for probabilistic timed automata model checking. *Journal of Soochow University (Natural Science Edition)* **27**(2) 36-43
- [6] Han T, Katoen J P 2007 Providing evidence of likely being on time: counterexample generation for CTMC model checking *Automated Technology for Verification and Analysis* Springer Berlin Heidelberg 331-46
- [7] Han T, Katoen J P, Berteun D 2009 Counterexample generation in probabilistic model checking *IEEE Transactions on Software Engineering* **35**(2) 241-57
- [8] Dijkstra E W 1959 A note on two problems in connexion with graphs *Numerische Mathematik* **1**(1) 269-71
- [9] Bellman R 1958 On a routing problem *Quarterly Applications Math* **16**(1) 87-90
- [10] Jiménez V M, Marzal A 1999 Computing the k shortest paths: a new algorithm and an experimental comparison *Algorithm engineering* Berlin Heidelberg : Springer 15-29

Authors



Mingyu Ji was born in 1980, Harbin, Heilongjiang province, China.

Current position, grades: Ph.D. candidate in computer science and technology in Harbin Engineering University; lecturer in Northeast Forestry University, China.

University studies: He received the computer application technique master degree in 2004 from Harbin Engineering University, China.

Scientific interest: specification and verification of probabilistic and stochastic systems and model checking.



Yanmei Li was born in Harbin, Heilongjiang, P.R. China, 1980.

Current position, grades: master's degree in computer science from Harbin Engineering University in 2008

University studies: she is now pursuing her doctor's degree in College of computer science and technology, Harbin Engineering University.

Scientific interest: model checking, temporal logic.



Zhiyuan Chen

Current position, grades: Ph.D. candidate in computer science and technology in Harbin Engineering University. He is currently a lecturer in the College of Computer Science and Technology, Harbin Engineering University.

University studies: He received his B.S. and M.S. degrees from Jilin University in 2002 and 2005 respectively, both in computational mathematics.

Scientific interest: model checking and model logic.